
SACRIFICIAL ANODES

ALUMINUM



INDEX

A L U M I N U M

3 - 5

HULL ANODES

W131 | N15AH | W5MA | WP5A
W130 | W111 N80AH | W114 | W117
N150AH W124 | W118 | W126

5

TANK ANODES


N50AT | N80AT | N110AT

5

BOLTED


B4 | B9E | B9F | B12F | B12G

HULL ANODES | W131




Model	A	B	C	D
W131	300mm	95mm	200mm	30mm
Weight	1,30 Kg			

HULL ANODES | N15AH




Model	A	B	C	D
N15AH	240mm	100mm	170mm	25mm
Weight	1,50 Kg			

HULL ANODES | W5MA




Model	A	B	C	D
W5MA	400mm	100mm	260mm	30mm
Weight	2,20 Kg			

HULL ANODES | WP5A




Model	A	B	C	D
WP5A	380mm	100mm	290mm	30mm
Weights	2,20 Kg			

HULL ANODES | W130




Model	A	B	C	D
W130	350mm	150mm	270mm	40mm
Weight	3,20 Kg			

HULL ANODES | W111




Model	A	B	C	D
W111	500mm	150mm	400mm	40mm
Weight	5 Kg			

HULL ANODES | N80AH




Model	A	B	C	D
N80AH	620mm	120mm	520mm	50mm
Weight	8 Kg			

HULL ANODES | W114




Model	A	B	C	D
W114	650mm	130mm	550mm	40mm
Weight	9,20 Kg			

HULL ANODES | W117




Model	A	B	C	D
W117	650mm	130mm	550mm	50mm
Weight	11,60 Kg			

HULL ANODES | W150AH




Model	A	B	C	D
N150AH	1100mm	120mm	1000mm	50mm
Weight	15 kg			

HULL ANODES | W124




Model	A	B	C	D
W124	1015mm	130mm	920mm	50mm
Weight	15,40 Kg			

HULL ANODES | W118




Model	A	B	C	D
W118	650mm	130mm	550mm	50mm
Weight	18 Kg			

HULL ANODES | W126




Model	A	B	C	D
W126	1015mm	130mm	920mm	50mm
Weight	23,40 Kg			

TANK ANODES | N50AT - N110AT



Model	A	B	C	D
N50AT	900mm	60mm	500mm	Ø14mm
N80AT	1050mm	76mm	610mm	Ø14mm
N110AT	1300 mm	76mm	830mm	Ø14mm
Weight				
N50AT	5 Kg	N80AT 8 Kg	N110AT 11 Kg	

BOLTED | B4 - B12G



Model	A	B	C	D	E
B4	200mm	100mm	40mm	110mm	50mm
B9E	300mm	150mm	40mm	160mm	50mm
B9F	300mm	150mm	50mm	160mm	50mm
B12F	300mm	200mm	50mm	160mm	50mm
B12G	300mm	200mm	65mm	160mm	50mm
Weight					
B4	1,80 Kg	B9E 4,60 Kg	B9F 5,50 Kg		
B12F	7,50 Kg	B12G 10,70 Kg			

CONVERSIONS

Kg	lb	mm	inches
0,14	0,31	10	0,4
0,24	0,53	15	0,6
0,50	1,10	20	0,8
0,90	1,98	25	1,0
1,20	2,65	30	1,2
2,00	4,41	35	1,4
2,50	5,51	40	1,6
3,50	7,72	45	1,8
4,00	8,82	50	2,0
5,00	11,02	60	2,4
6,00	13,23	70	2,8
7,70	16,98	100	3,9
9,00	19,84	150	5,9
10,20	22,49	200	7,9
11,00	24,25	250	9,8
12,00	26,46	300	11,8
13,00	28,66	350	13,8
16,00	35,27	400	15,7
18,00	39,68	450	17,7
21,00	46,30	500	19,7
26,00	57,32	550	21,7
40,00	88,18	600	23,6
50,00	110,23	650	25,6
83,00	182,98	700	27,6



PRODUCTION AND COMMERCIALIZATION ACCORDING TO THE NORMS:

**MIL - A - 18001K
MIL - DTL - 24779A**

WE HAVE AN ANALYSIS LABORATORY AND SPECTROMETRY SERVICES.

® ZINC-IT IS A REGISTERED TRADEMARK.

Zinc it

S A C R I F I C I A L A N O D E S

Manufactured and certified by:
Fonseca & Flora, Lda



Rua D. Frei Garcia Martins, 97
4465-641 Leça do Balio - Portugal

geral@fonsecaeflora.com
+351 229 520 615

www.zinc-it.eu
www.fonsecaeflora.com